

Royal Infirmary of Edinburgh.
PHARMACOPOEIA

PAUPERUM,

IN USUM

NOSOCOMII REGII

EDINBURGENSIS.



EDINBURGI.

Apud HAMILTON, BALFOUR, et NEILL,
sumptibus Nosocomii.

M,DCC,LII.

PHARMACOPŒIA

1840

1840

1840

1840



1840

1840

1840

1840

LECTORI.

E Catalogo simplicium omittuntur quæcunque recentia præscribuntur, adeoque in officina reservari nequeunt. Omittuntur quoque medicamenta domestica, quæ nosocomii promptuarium suppeditare intelligitur.

In medicamentis præparandis et componendis observanda est norma Pharmacopœiæ Edinburgensis, nisi ubi formula aut exceptio aliqua adjecta est.

Distinguuntur asterismo medicamenta composita quæ miscentur extempore.

PHAR-

LECTURE

The first part of the lecture was devoted to a discussion of the general principles of the subject. The speaker then proceeded to a detailed examination of the various methods of investigation, and finally to a consideration of the results of the researches of other workers in the field. The lecture was well attended and the speaker's presentation was highly appreciated.

1912

PHARMACOPŒIA PAUPERUM

IN USUM

NOSOCOMII REGII EDINBURGENSIS.

MEDICAMENTA SIMPLICIA
Officinalia.

Radices.

A ^{LLII.}	Fœniculi.
Althææ.	Gentianæ.
Ari.	Glycyrrhizæ.
Aristolochiæ long.	Helenii.
Bardanæ maj.	Hellebori nigri.
Calami aromat.	Jalappæ.
Consolidæ maj.	Imperatorizæ.
Contrayervæ.	Ipecacuanhæ.
Curcumæ.	Iridis Florent.
Eryngii.	Oxylapathi.
A	Pæoniæ.

2 PHARMACOPOEIA PAUPERUM.

Pæoniæ.	Senekæ.
Petroselini.	Serpentariæ Virg.
Polypodii.	Tormentillæ.
Pyrethri.	Valerianæ filv.
Rhabbarbari.	Zedoariæ.
Scillæ.	Zingiberi.

Herbæ, Folia, Flores, Summitates.

Abfinthium vulg.	Majorana.
Artemisia.	Malva.
Afarum.	Marrubium alb.
Betonica.	Mentha fativa.
Carduus bened.	Parietaria.
Centaurium min.	Plantago latif.
Chamæmeli flor.	Rosæ rubræ.
Crocus.	Rosmarinus cum flor.
Hedera terr.	Ruta.
Lavendulæ flor.	Sabina.
Lichen ciner. terr.	Salvia.
	Sambuci

Sambuci flor.	Trichomanes.
Scordium.	Trifolium aquat.
Senna.	Tussilago cum flor.
Tanaceti flor.	Viscus quernus.

Semina, Baccæ, Fructus, &c.

Amygdalæ dulc.	Fœniculi dulc. fem.
Angelicæ fem.	Fœni Græci fem.
Aurantia Curaſſa- venſia.	Juniperi baccæ. Lauri baccæ.
Cardamomum min.	Leviſtici fem.
Caryophylli aromat.	Lini fem.
Caffia fiſtula.	Nux moſch. et macis.
Colocynthis.	Papav. hort. capita.
Coriandri fem.	Piper Jamaicenſe.
Cubebæ.	Santonicum fem.
Cumini fem.	Sinapi fem.
Dauci ſilv. fem.	Tamarindi.

Ligna.

4 PHARMACOPOEIA PAUPERUM,

Ligna.

Campechense. Santalum rubrum.
Guajacum cum cort. Sassafras cum cort.

Cortices.

Canella alba. Peruvianus.
Cinnamomum, Quercus.
Granatorum.

*Gummi, Resinæ, Olea, Succī, aliæque
ex vegetabilibus provenientes.*

Aloë hepatica, Benzoinum.
Aloë Succotrina, Camphora.
G. ammoniacum. Catechu, seu terr.
G. Arabicum. Japon.
Assa foetida. G. elemi.
Bals. Peruvianum. Fuligo ligni.
Bals. copaiba. Galbanum.

Gly-

Glycyrrhizæ succ.	Pix Burgundica.
Hispan.	Pix liquida.
G. guajaci.	Pix sicca.
Manna.	Refina alba.
Myrrha.	Saccharum album.
Oleum laurinum.	Sanguis draconis.
Oleum lini.	Sapo albus Hispan.
Oleum macis express.	Scammonium.
Oleum olivarum.	Styrax liquida.
Oleum palmæ.	Tacamahaca.
Olibanum.	Tartarus albus.
Opium.	Terebinthina Ven.

Animalia, et ex iis desumpta.

Axungia porc. præp.	Cochinilla.
Cantharides.	Mel.
Castoreum Russ.	Millepedæ præp.
Cera flava et alba.	Moschus.

Ostre-

6 PHARMACOPOEIA PAUPERUM.

Ostreorum test. præp. Sperma cœti.

Sal ammoniacum. Verrucæ equinæ.

Mineralia & Fossilia.

Ærugo. Hydrargyrus.

Alumen rupeum. Lithargyrus præp.

Antimonium. Nitrum.

Bolus Armena præp. Stanni pulv.

Calamin. lap. præp. Sulphur.

Calx viva. Vitriolum album.

Cerussa. Vitriolum cæruleum.

Creta alba. Vitriolum viride.

Ferri limatura et Tutia præp.
rubic.

MEDI-

MEDICAMENTA COMPOSITA, et
Præparationes chemicæ.

A Cetum destillatum.
Acetum lithargyrites.

Acetum scilliticum.

Acetum theriacale.

Æthiops mineralis.

Antimonium diaphoreticum.

Antimonium præparatum.

Præparatur ut bolus Armena.

Aqua alexeteria.

R Flor. sambuc. mod. siccat. lib. iii.

Fol. recent. angelic. lib. ii.

Aq. font. q. s.

Destilla cong. iii.

Aqua aluminosa.

Aqua antihysterica.

R Rad. valerian. filv. lib. i. ss.

Sem. levistic. lib. ss.

Sabinæ unc. iii.

Spir. vin. Gall. cong. ii.

Masera per quatrimum, et destilla cong. ii.

Aqua

8 PHARMACOPŒIA PAUPERUM.

Aqua aromatica.

R Canell. alb. lib. fs.

Cort. exter. recent. limon. unc. iv.

Cardamomi min. unc. ii.

Spir. vin. Gall. cong. ii.

Macera per quatrimum, et destilla cong. ii.

* Aqua benedicta comp.

Omitte syrupum.

Aqua calcis.

Aqua chamæmeli flor.

Aqua epidemia.

R Rad. imperator. lib. i. fs.

Sem. angelic.

Flor. sambuc. aa lib. fs.

Spir. vin. Gall. cong. iii.

*Macera per quatrimum, et destillatis
cong. ii. fs. adde*

Aceti destillat. cong. fs. M.

Aqua fœniculi.

Aqua hyssopi.

Aqua menthæ.

Aqua menthæ piperitidis.

R Menthæ piperit. modice ficcet. lib. i. fs.

Aquæ font. q. f.

Destilletur cong. i.

Aqua

Aqua ophthalmica.

R Vitriol. alb. unc. fs.
Aq. font. lib. iv.
Coque ad solutionem, et filtra.

Aqua phagedænica.

* Aqua picea.

R Picis liquid. lib. ii.
Aq. font. cong. i.
*Agitentur valide bacillo ligneo, et post biduum
effundatur aqua.*

Aqua pulegii.

Aqua raphani composita.

R Rad. recent. raph. rustic.
Cochleariæ hort. \overline{aa} lib. iii.
Cort. recent. exter. aurant. Hispal.
Bacc. juniper. \overline{aa} lib. fs.
Canell. alb. unc. iv.
Spir. vin. Gall. cong. ii.
*Macera baccas et canellam in spiritu per
quatrimum, et destilla cong. ii.*

Aqua rosarum.

Aqua rutæ.

Aqua sapphirina.

Aqua styptica.

B

Balsa-

10 PHARMACOPOEIA PAUPERUM.

Balsamum anodynum.

R Balf. saponacei lib. i. fs.
Laudan. liquid. lib. fs. M.

Balsamum Locatelli.

Balsamum saponac. seu oppodeltoch.

Balsamum sulphuris terebinthinatum.

Balsamum (*i. e.* oleum fuscum) terebinthinæ.

Balsamum traumaticum.

Balsamum viride.

* Bolus alexeterius.

R Serpentar. Virg. gr. xv.
Castor. gr. x.
Camphor. gr. iii.
Syr. sacchar. q. f. M.

* Bolus è castoreo.

R Castor. scr. i.
Sal. C. cerv. vol. gr. v. *vel*
Ol. still. C. cerv. gutt. v.
Syr. sacchar. q. f. M.

* Bolus diaphoreticus.

R Pulv. contrayerv. comp.
Sal. ammoniac. crud. ^{aa} scr. i.
Syr. sacchar. q. f. M.

* Bolus

* Bolus diureticus.

R Sapon. alb. scr. ii.
Ol. still. junip. gutt. x.—xx. M.

* Bolus guajacinus.

R Extract. guajac. scr. ii.
Sal C. cerv. vol. gr. vii.
Syr. facch. q. f. M.

* Bolus jalappæ cum mercurio.

R Jalap. elect. scr. i.
Calomel. gr. v.—x.
Syr. facch. q. f. M.

* Bolus mercurialis.

R Calomel. gr. v.—xv.
Conserv. rosar. drach. fs. M.

* Bolus pectoralis.

R Sperm. coeti gr. xv.
G. ammoniac. gr. x.
Sal. C. cerv. vol. gr. vii.
Syr. sacchar. q. f. M.

* Bolus rhei cum mercurio.

R. Rhei elect. gr. xxv.
Calomel. gr. v.
Syr. sacchar. q. f. M.

* Bolus

* Bolus theriacalis.

R Theriac. scr. ii.
 Sal. C. cerv. vol. gr. vii.
 Camphor. gr. iii. M.

Calomelas.

Cataplasma aromaticum.

R Rad. aristoloch. long.
 Bacc. lauri,
 Fol. scordii,
 Sem. cumini,
 Myrrhæ aa unc. iv.
 Piper. Jamaic. unc. ii.
 Mellis triplum ad pondus pulv. M. f. a.

* Cataplasma discutiens.

R Farinæ hord. unc. vi.
 Fol. cicutæ rec. optime contus. unc. ii.
 Aceti q. f.
Coque parum, et adde
 Sal. ammoniac. crud. unc. fs.

* Cataplasma emolliens.

R Medull. panis cibar. unc. viii.
 Sapon. alb. unc. i.
 Lact. vaccin. recent. q. f.
Coque parum.

Cata-

* Cataplasma suppurans.

Adde priori cataplasmati

Cepar. crud. contus. unc. i, fs,

Ung. basilic. unc. i.

* Cataplasma stomachicum.

R Cataplasma. aromat. unc. i.

Ol. macis expr. drach. ii.

Bals. anodyn. q. f. M.

* Cataplasma camphoratum.

R Cataplasma. aromat. unc. i,

Camphor. drach, i, M.

Causticum lunare.

Causticum potentiale.

* Cervisia aperiens.

R Sem. sinap. integr. unc. x.

Rad. aristol. long. unc. vi.

Summit. centaur. min. unc. ii.

fabinæ unc. i.

Cervis. tenuis novæ cong. x.

* Cervisia cephalica.

R Rad. valerian. filv. unc. x.

Sem. sinap. integr. unc. vi.

Serpentar. Virg. unc. ii.

Rorismarin. *vel* salviæ unc. iii.

Cervisiæ tenuis novæ cong. x.

* Cervisia

* Cervisia diuretica.

R Sem. sinapi integri,
Bacc. juniper. \overline{aa} unc. viii.
Sem. dauc. silv. unc. iii.
Absinth. vulg. unc. ii.
Cervis. tenuis novæ cong. x.

* Cervisia ad scorbuticos.

R Rad. raph. rustic. recent. unc. xii.
oxylapath. unc. vi.
Canell. alb. unc. ii.
Trifol. aquat. recent. unc. viii. *vel sic-*
cat. unc. iii.
Cervis. tenuis novæ cong. x.

Chalybs saccharatus.

Cinnabaris antimonii.

Colcothar vitrioli.

* Collyrium album.

R Aq. rosar. unc. vi.
Trochisc. alb. drach. i.
Vitriol. alb. gr. x. M. f. a.

* Collyrium aluminosum.

R Alum. rup. drach. ss.
Albumen unius ovi.
Agitentur diligenter.

Confectio

Confectio roborans.

℞ Boli Armen. præp. unc. iii.
 Rad. tormentill.
 Nuc. moschat.
 Oliban. aa unc. ii.
 Opii præp. drach. i. fs.
 Syr. de ros. ficc. triplum ad pondus
 pulv. M. f. a.

Conserva rosarum rubrarum.

Cremor tartari.

* Decoctum album.

℞ Pulv. testac. comp. drach. vi.
 G. Arab. drach. iii.
 Aq. font. lib. iii.
Coque ad lib. ii. et decocto turbido adde
 Aq. aromat. unc. i.
 Sacchari alb. drach. ii. M.

* Decoctum antihecticum.

℞ Rad. consolid. maj.
 eryng. aa unc. fs.
 Conserv. rosar. unc. ii.
 Aq. font. lib. iii.
Coque ad lib. ii. colat. cui adde
 Spir. vitriol. dulc. gutt. xl.

* Decoctum

* Decoctum astringens.

R Rad. tormentill. unc. i.

Cort. granat.

Fol. plantag. \overline{aa} unc. \overline{fs} .

Aq. font. lib. iii.

Coque ad lib. ii. addendo sub finem

Cinnamom. drach. i.

Colat. adde

Syr. de ros. ficc. unc. i.

* Decoctum bardanæ.

R Rad. bardan. maj. unc. ii.

Aq. font. lib. iii.

Coque ad lib. ii. colat. cui adde

Tartar. vitriolat. drach. i.

* Decoctum Campechense.

R Scob. lign. Campechens. unc. iii.

Aq. font. lib. iv.

Coque ad medias, addendo sub finem

Cinamomi drach. ii. *Cola.*

* Decoctum commune.

R Fol. malv.

Flor. chamæmel. \overline{aa} unc. i.

Aq. font. lib. vi.

Coque ad lib. iv. et cola.

* Decoctum

* Decoctum diureticum.

R Rad. petroselin. *vel* foenicul. unc. i.

Sem. dauc. silv. drach. iii.

Herb. parietar. unc. fs.

Passular. maj. unc. ii.

Aq. font. lib. iii.

Coque ad lib. ii. colat. cui adde

Nitri drach. i.

* Decoctum hordei.

R Hordei perlat. unc. ii.

Aq. font. lib. vi.

Coque ad lib. iv. et cola.

* Decoctum lignorum.

* Decoctum nitrosum.

* Decoctum senekæ.

R Rad. senekæ unc. i.

Aquæ font. lib. i. fs.

Coque ad lib. i. et cola.

* Decoctum serpentariæ compositum.

R Sacchar. alb. unc. i. *pro* diacodio.

* Decoctum tamarindorum cum senna.

R Syr. ros. pall. *pro* syr. violar.

C

* Decoctum

* Decoctum vulnerarium.

R Herb. hederæ terr.
Fol. plantag. \overline{aa} unc. fs.
Aq. font. lib. iii.
Coque ad lib. ii. colat. cui adde
Sacch. alb. unc. fs.

* Electuarium antidyfentericum.

R Confect. roborant. unc. i.
Bals. Locatell. (ovi vitello solut.) unc. fs.
Rhei elect. pulv. drach. ii.
Syr. de althæa q. f. M.

* Electuarium balsamicum.

R Conf. rosar. unc. ii.
Bals. Locatell. (ovi vitello solut.)
unc. i. M.

* Electuarium cephalicum.

R Rad. valerian. filv.
Visci quern. \overline{aa} unc. i.
Syr. sacchar. q. f. M.

* Electuarium hæmorrhoidale.

R Electuar. lenitiv. unc. ii.
Flor. sulphur. unc. fs. M.

Electu-

Electuarium lenitivum.

R Rad. polypod. unc. iii.

Aq. font. lib. vi.

Coque ad lib. iv. injiciendo sub finem

Fol. fennæ unc. ii.

Sem. coriandri unc. fs.

Colaturæ adde

Sacchar. alb. lib. iv.

Coque ad syr. spissior. consistent. et adde

Pulp. prunor. Gallic. lib. i.

cast. fistul.

tamarind. aa lib. fs. M. f. a.

* Electuarium ad nephriticos.

R Elect. lenitiv. unc. i. fs.

Terebinth. Ven. (vitello ovi solut.)
unc. i.

Testar. ovar. præp. unc. fs.

Rhei elect. drach. i.

Syr. de althæa q. f. M. f. a.

* Electuarium Peruvianum febrifugum.

R Cort. Peruv. unc. i.

Sal. ammoniac. crud. drach. i.

Syr. è succo limon. q. f. M.

* Electuarium Peruvianum roborans.

R Cort. Peruv. unc. i. fs.

Colcothar: vitrioli drach. iii.

Syr. sacchar. q. f. M.

* Electu-

* Electuarium Peruvianum stypticum.

R Cort. Peruv. unc. i. fs.
 Alum. rup. unc. fs.
 Syr. limon. q. f. M.

* Electuarium fistens.

R Conf. roborant. unc. ii.
 Extract. lign. Campech. unc. i.
 Syr. è ros. sicc. q. f. M.

Elixir proprietatis.

Elixir proprietatis cum acido.

Elixir salutis.

R Jalappam *pro* rheo.

Elixir stomachicum.

R Rad. gentian. unc. i.
 Aurant. Curaflav. unc. i. fs.
 Cochinill. drach. fs.
 Spir. vin. Gall. lib. ii.
Macera per biduum, et cola.

Elixir vitrioli.

R Elixir. stomachici lib. i.
Instilla paulatim
 Ol. vitrioli unc. iv.
M. et filtra.

Empla-

Emplastrum adhæsivum.

℞ Empl. commune *pro* diachylo.

Emplastrum anodynum.

Emplastrum antihystericum.

* Emplastrum calidum.

℞ Empl. gummos. unc. i.
epispastic. drach. ii.

Liquefiant simul leni igne.

Emplastrum cereum.

℞ Ceræ flav. lib. iv.

Resin. alb. lib. ii.

Sevi lib. i. fs.

Liquefiant simul.

Emplastrum commune.

℞ Lithargyr. præp. lib. iii.

Ol. olivar. lib. vi.

Coque ad debitam spissitudinem.

Emplastrum defensivum.

℞ Lithargyr. præp. lib. ii.

Ol. olivar. lib. iv.

*Coque ferè ad spissitudinem emplastri, in
quo liquefiant.*

Ceræ flav. unc. vi.

Oliban. unc. iv.

Dein

Dein adde

Boli Armen. præp. unc. vi.

Sang. dracon. triti unc. ii.

Terebinth. Ven. unc. iv.

Emplastrum epispasticum.

℞ Picis Burgund. unc. xx.

Tereb. Venet.

Cantharid. pulv. āā unc. vi.

Emplastrum gummosum.

℞ Ol. palmæ lib. iv.

Lithargyr. præp. lib. i. fs.

Coque fere ad spissitudinem emplastri, et adde

G. ammoniac.

galbani, āā lib. i. fs.

Emplastrum mercuriale.

℞ Empl. gummosum *pro* diachylo.

Emplastrum saponaceum.

℞ Empl. gummosi lib. iii.

Sapon. alb. rasi lib. fs.

Liquefacto empl. immisce saponem.

Emplastrum stomachicum.

℞ Ceræ flav. unc. viii.

Tacamahac. trit.

Ol. palmæ, āā unc. iv.

Simul

Simul liquefactis adde

Caryophyll. aromat. pulv. unc. ii.

Ol. macis expr. unc. i. fs. M. f. a.

Emplastrum recens extensum inungatur

Ol. still. menthæ guttis aliquot.

* *Emplastrum suppurans.*

R Empl. gummos. unc. i. fs.

Picis Burgund. unc. fs.

Liquefiant simul.

* *Emulsio camphorata.*

R Camphoræ scrup. i.

Amygdalas N^o iv.

Tritis simul, adde sensim

Aquæ rutæ unc. iv.

ut f. emulsio, cui adde

Aquæ epidem.

Syr. sacchar. aa unc. i.

* *Emulsio communis.*

R Amygd. dulc. unc. i.

Aq. font. lib. ii.

F. emulsio, cui adde

Sacch. alb. drach. ii.

Si aquæ incoxeris G. Arab. drach. iii. fit

* *Emulsio Arabica.*

* *Enema*

* Enema de amylo.

R Gelatinæ ex amylo unc. iv.

Liquefactæ leni igne immisce

Ol. lini unc. fs.

Fit quoque addendo

Laudan. liquid. gutt. xl.

* Enema anodynum.

R Infus. lini unc. vi.

Laudan. liquid. gutt. xl. M.

* Enema anticolicum.

R Decoct. commun. lib. fs.

Tinct. sacrae unc. i.

Sal. commun. drach. i.

Ol. lini unc. ii. M.

* Enema astringens.

R Aq. calc. unc. x.

Conf. roborant. unc. fs. M.

* Enema astringens balsamicum.

Adde priori enemati

Bals. Locatell. (vitello ovi solut.) unc. fs.

Utrumque ferè sufficit pro duabus vicibus.

* Enema domesticum.

R Lact. vaccin. lib. fs.

Sacch. rubri,

Ol. olivar. aa unc. i. M.

* Enema

* Enema emolliens.

R Ol. palmæ unc. i. fs.

Vitell. unius ovi.

Probe subactis adde

Lact. vaccin. lib. fs.

* Enema foetidum.

R Rutæ,

Sabin. \overline{aa} unc. fs.

Aq. font. lib. i. fs.

Coque ad lib. i. colat. cui adde

Affæ foetid. drach. ii.

Ol. olivar. unc. i.

still. fuccin. drach. fs. M. f. a.

Pro duabus vicibus.

* Enema purgans.

R Decoct. commun. lib. fs.

Sapon. alb. unc. i.

Syr. de rhamno unc. i. fs. M. f. a.

* Enema terebinthinatum.

R Decoct. commun. unc. x.

Terebinth. Ven. (vitello ovi solut.)

unc. fs.

Ol. lini unc. i. M. f. a.

D

* Expressio

26 PHARMACOPOEIA PAUPERUM.

* Expressio millepedarum.

R Milleped. viv. unc. iii.

Aq. fœnicul. lib. i.

raphan. comp. lib. fs.

*Contunde, sensim affundendo aquas, et f.
expressio.*

Extractum gentianæ.

Extractum hellebori nigri.

Extractum ligni Campechensis.

Extractum ligni guajaci.

*Extracta utriusque ligni fiunt longâ et
iteratâ coctione ex aqua, et inspissa-
tione lento igne.*

Flores sulphuris.

* Fodus anodynus.

R Capit. papav. hort. unc. i.

Flor. sambuci unc. fs.

Aq. font. lib. iii.

Coque ad lib. ii. et cola.

* Fodus aromaticus.

R Caryoph. aromat.

Macis, aa drach. i.

Vini rubri lib. i.

Coque parum et cola.

* Fodus

- * Fetus emolliens. *Vid. Decoctum commune.*

- * Fetus roborans:

R Cort. querc. unc. i.
 granator. unc. fs.
 Aq. fabrorum lib. iii.
Coque ad lib. ii. colat. cui adde
 Alum. rup. drach. ii.

- * Gargarisma astringens.

R Cort. quercûs unc. i.
 Aq. font. lib. i. fs.
Coque ad lib. i. colat. cui adde
 Alum. rup. drach. i.
 Mell. rosat. unc. i.

- * Gargarisma commune.

R Aq. font. unc. vi.
 Nitri drach. i.
 Mell. rosat. unc. i. M.
Adde nonnunquam
 Spir. vitrioli gutt. xl.

- * Gargarisma emolliens.

R Rad. althææ unc. ii.
 Ficus N° iv.
 Aq. font. lib. iii.
Coque ad lib. ii. et cola.

- * Haustus

* **Hauftus diaphoreticus.**

R Spir. Minderer.

Syr. diacod. aa unc. fs.

Sal. C. cervi vol. gr. v. M.

* **Hauftus falinus.**

R Sal. abfinth. scrup. i.

Succ. limon. unc. fs.

Sacchar. alb. drach. i. M.

* **Infusum amarum.**

* **Infusum amarum cum fenna.**

* **Infusum antiscorbuticum.**

R Trifol. aquat. unc. ii.

Aurant. Curaflavenf. unc. fs.

Aq. font. bullient. lib. iv.

Infunde per noctem in vase clauso, et colaturæ adde

Aq. raph. comp. unc. iv.

* **Infusum cephalicum.**

R Rad. valerian. filv. unc. ii.

Rorismarin. *vel* salviæ unc. fs.

Aq. font. bullient. lib. iv.

Infunde per noctem in vase clauso, et colaturæ adde

Aq. aromat. unc. iv.

* **Infusum**

* Infusum lini.

R Sem. lini integri cochl. ii.
 Glycyrrhiz. ras. unc. fs.
 Aq. font. bullient. lib. iv.
Infunde ad focum boras aliquot, et cola.

* Infusum pectorale.

Adde priori infuso
 Fol. tussilag. unc. i.

* Injectio balsamica.

R Balf. copaiba unc. fs.
 Vitellum unius ovi.
Probè subactis adde sensim
 Aq. calcis unc. vi.
 Mell. rosat. unc. ii. M.

* Injectio mercurialis.

R Argenti viv.
 Balf. copaiba, aa unc. fs.
Subactis ad extinctionem adde
 Ovi vitellum.
Et optimè commixtis sensim adjice
 Aq. rosar. lib. fs.

* Julapium ammoniacum.

R Lact. ammoniac. unc. iv.
 Syr. scillit. unc. iii. M.

* Julapium

* *Julapium antihystericum.*

R Aq. puleg. unc. iv.
 antihysteric. unc. ii.
 Tinct. castor. drach. ii.
 Sal. C. cerv. vol. gr. x. *vel* spir. succin. drach. i.
 Sacchar. alb. drach. vi. M.

* *Julapium cardiacum.*

R Aq. alexeter. unc. iv.
 aromat. unc. ii.
 Spir. vol. oleos.
 Tinct. croci, aa drach. ii.
 Sacchar. alb. unc. fs. M.

* *Julapium diaphoreticum.*

R Aq. alexeter. unc. iv.
 Spir. Mindereri unc. ii.
 Sal. C. cerv. vol. gr. x.
 Sacchar. alb. drach. vi. M.

* *Julapium diaphoreticum acidum.*

R Aq. alexeter. unc. iv.
 Aceti theriacal. unc. ii.
 Tinct. croci unc. fs.
 Spir. succin. drach. i.
 Sacchar. alb. unc. i. M.

* *Julapium*

* Julapium diureticum.

R Spir. Minderer. unc. iv.
 Aq. raph. comp. unc. ii.
 Syr. de althæa unc. iii. M.
Adde nonnunquam
 Spir. succin. drach. i.

* Julapium foetidum.

R Aq. rutæ unc. vi.
 Assæ foetid. drach. i. fs.
F. solutio, cui adde
 Aq. antihysteriæ. unc. ii.
 Ol. still. C. cerv. gutt. xx. *exceptas*
 Sacchar. alb. drach. x. M.
Fit quoque sine oleo.

* Julapium hydragogum.

R Aq. fl. chamæm. unc. vi.
 Tartar. emet. gr. x.
 Syr. de rhamno unc. ii. M.

* Julapium moschatum.

R Aq. rosar. unc. vi.
 Spir. vol. oleos. drach. i. fs.
 Mosch. gr. xv.
 Sacch. alb. unc. fs. M.
Teratur moschus cum saccharo.

* Julapium

* Julapium salinum.

R Aq. menth.
Syr. limon. \overline{aa} unc. ii.
Sal. absinth. drach. i. M.

* Julapium scilliticum.

R Aq. hyssop. *vel* fœniculi,
Syr. scillit. \overline{aa} unc. iii. M.

* Julapium fistens.

R Aq. alexeter. unc. iv.
aromat. unc. ii.
Confect. robor. drach. ii.
Terr. Japon. trit. drach. i.
Laudan. liquid. gutt. xl.
Sacch. alb. unc. fs. M.

Lac ammoniacum.

R Gum. ammoniac. unc. i. fs.
Aq. hyssop. lib. ii. *Solve.*

* Lac ferratum.

*Fit ex lacte vaccino recente, in quo fer-
rum candens toties extinctum fuerit ut
quarta pars exhalet.*

Laudanum

Laudanum liquidum.

R Opii unc. ii.
 Aquæ aromat. unc. xx.
*Digere leni calore donec solvatur opium, et
 cola.*

* Linimentum anodynum.

R Ung. nervin. unc. iii.
 Balf. terebinth. unc. i. M.

Linimentum Arcæi.

* Linimentum hæmorrhoidale.

R Ung. emollient. unc. ii.
 Laudan. liquid. unc. fs.
 Vitellum ovi.
Probè subigantur.

* Linimentum mercuriale.

R Axung. porc. unc. i.
 Mercur. præcip. alb. drach. i. M.

* Lohoch balsamicum.

R Sperm. coeti drach. ii.
 Balf. Peruv. gutt. xl.
 Vitell. ovi q. f.
Probè subactis adde
 Syr. de althæa unc. ii.

E

* Lohoch

* Lohoch commune.

R Ol. lini recent.
Syr. de althæa, aa unc. ii. M.

* Lohoch pectorale.

R Sperm. cœti,
Sapon. alb. aa drach. ii.
Vitell. ovi q. f.
Probè subactis adde
Ol. lini. recent. unc. i. fs.
Syr. de althæa unc. iii. M.

Magnesia alba.

R Matricis nitri q. v.
Adde paulatim
Lixiv. ciner. clavellat. q. f.
*i. e. donec cesset præcipitatio pulveris albi,
qui diligenter aquâ calidâ abluendus.*

Mel rosatum.

Mercurius præcip. albus dulcis.

Mercurius præcipitatus ruber.

Mercurius saccharatus.

Mercurius sublimatus corrosivus.

Mercurius sublimatus dulcis.

* Oleum

* Oleum camphoratum.

R Ol. lini recent. unc. i.
Camphoræ unc. fs. M.

Oleum still. cornu cervi.

Oleum still. juniperi.

Oleum still. menthæ.

Oleum still. origani.

Oleum still. rorismarini.

Oleum still. succini.

Oleum tartari per deliquium.

Oleum terebinthinæ.

Oleum vitrioli.

Opium præp. seu extract.

* Oxymel pectorale.

Pilulæ Æthiopicæ.

Duplicetur argentum vivum.

* Pilulæ

36 PHARMACOPOEIA PAUPERUM.

* Pilulæ ex allio.

R Allii,

Sapon. alb. \overline{aa} unc. fs.

Milleped. præp. q. f. M. f. a.

E singulis semidrachmis formentur pil. vi.

Pilulæ aloëticæ.

R Aloës Succotrin.

Sapon. alb. \overline{aa} p. æ.

Mellis liquid. q. f. M. f. a.

Pilulæ chalybeatæ.

R G. ammoniac.

Extract. gentian.

Sal. Martis,

Myrrhæ, \overline{aa} unc. i.

Syr. facch. q. f. M. f. a.

Pilulæ cocciaæ.

R Ol. junip. *pro* ol. caryoph.

Pilulæ ecphraëticæ chalybeatæ.

R Aloës Succotrin.

Extract. helleb. nigr.

Sal. Martis,

Galban.

Myrrhæ, \overline{aa} unc. i.

Syr. sacchar. q. f. M. f. a.

Pilulæ

Pilulæ ecphracticæ purgantes.

℞ Aloës Succotrin.
 Extract. helleb. nigr.
 Scammonii, \overline{aa} unc. ii.
 Tartar. vitriolat. drach. iii.
 Ol. still. junip. drach. i. fs.
 Syr. de rhamno q. f. M. f. a.

Pilulæ gummosæ.

℞ Assæ foetid.
 Fuligin. splendent.
 Myrrhæ, \overline{aa} unc. ii.
 Ol. still. succin. drach. i. fs.
 Syr. sacchar. q. f. M. f. a.

Pilulæ mercuriales.

Pilulæ mercuriales laxantes.

Argenti viv. unc. i. fs.
 Mell. liquid. q. f.
Tere ad extinctionem, et adde
 Mass. pil. cocc.
 Gum. ammoniac. \overline{aa} unc. i. M. f. a.

Pilulæ pacificæ.

℞ Galban.
 Myrrhæ,
 Sapon. alb. \overline{aa} unc. ii.
 Opii præp. unc. i.
 Syr. sacch. q. f. M. f. a.

Pilulæ

Pilulæ pectorales.

R G. ammoniac. unc. i. fs.
Myrrh. unc. i.
Bals. sulph. terebinth. drach. i.
Syr. de althæa q. f. M. f. a.

* Pilulæ piceæ.

R Picis liquid. q. v.
Rad. helen. pulv. q. f. M. f. a.
E singulis semidrachmis formentur pil. vi.

Pilulæ roborantes.

R Oliban. unc. i. fs.
Pulv. styptic. unc. i.
Sal. Martis unc. fs.
Syr. sacchar. q. f. M.

* Pilulæ scilliticæ.

R Scillæ recent.
G. ammoniac.
Cardamom. min. \overline{aa} p. æ. M. f. a.
E singulis semidrachmis formentur pil. vi.

Pilulæ stomachicæ.

R Aloës Succotrin. unc. i. fs.
Gum. ammoniac.
Myrrhæ, \overline{aa} unc. fs.
Tartar. vitriolat. drach. ii.
Ol. still. menth. drach. fs.
Syr. sacchar. q. f. M. f. a.

* Potio

* Potio balsamica.

R Balf. copaib. drach. iii.
 Ol. still. junip. gutt. xxx.
 Vitell. ovi.
Optimè subactis immisce
 Aq. fœnicul.
 raph. comp. \overline{aa} unc. iii.
 Syr. de althæa unc. ii.

* Pulvis antilyffus.

* Pulvis cephalicus.

Pulvis contrayervæ compositus.

R Testas ostreor. præp. *pro* pulv. è chel.
 cancr. co.

Pulvis Cornachini.

Pulvis diaromatôn.

R Canell. alb.
 Zingiber. \overline{aa} p. æ. M.

Pulvis stypticus.

Pulvis testaceus ceratus.

R Ceræ flav. q. v.
Liquefactæ insperge sensim, agitando dili-
genter supra ignem lenem.

Testar. ostreor. præp. q. f.
i. e. donec pulveris mixturam respuat cera.

Pulvis

40 PHARMACOPOEIA PAUPERUM.

Pulvis testaceus compositus.

℞ Testar. ostreor. præp. lib. i.
Cretæ alb. lib. fs. M.

Pulvis vermifugus.

℞ Flor. tanacet.
Sem. fantonic. ʒʒ drach. iii.
Sal. Mart. drach. i. M.

Pulvis vermifugus purgans.

℞ Rhei elect. drach. iii.
Scammon.
Calomel. ʒʒ drach. i. M.

Saccharum Saturni.

Sal absinthii fixum.

Sal ammoniacum volatile.

Sal cornu cervi volatile.

Sal Jovis.

Sal Martis.

Sal mirabile Glauberi.

Sal polychrestum.

Sal tartari.

* Serum

* Serum acetosum.

R Lact. vaccin.

Aq. font. \overline{aa} lib. i.

Coque ad ebullitionem, et adde

Aceti cochl. ii.

Aufer coagulum.

* Serum epidemium.

R Lact. vaccin. bullient. lib. ii.

Aq. epidem. unc. iv.

Aufer coagulum.

* Sinapismus simplex.

* Sinapismus compositus.

Spiritus cornu cervi.

Spiritus lavendulæ compositus.

R Flor. recent. lavendul. lib. i. fs.

rorismar. lib. fs.

Cort. exter. recent. limon. unc. iii.

Spir. vini rectific. cong. i. fs.

*Destilla è B. M. ad siccitatem. In spiritu
destillato macera per biduum*

Caryophyll. aromat.

Cubebæ.

Scobis fantali rub. \overline{aa} unc. ii. *Cola.*

Spiritus Mindereri.

F

Spiritus

Spiritus nitri dulcis.

Spiritus falis dulcis.

Spiritus fuccini.

* Spiritus vini camphoratus.

Spiritus vini rectificatus.

Spiritus vitrioli dulcis.

Spiritus volatilis oleosus.

R Ol. still. rorismarini,
succini, aa unc. i. fs.

Sal. ammoniac. vol. unc. viii.

Spir. vini Gall. cong. i. fs.

Destilla cong. i.

* Succi antiscorbutici.

Sulphur auratum antimonii.

* Suppositoria.

*Fiunt è sale commun. cum duplo melle
coctis ad justam duritiem.*

Syrupus de althæa.

R Rad. althææ unc. iii.

glycyrrhiz. unc. i.

Trichomanis unc. ii.

Aq. font. lib. vi.

Sacch. alb. lib. iv.

E. f. a. syrupus, ut in Pharmac. Edin.

Syrupus

Syrupus è succo limonum.

Syrupus papaveris alb. seu diacodiôn.

Syrupus de rhamno cathartico.

Syrupus rosarum pallidarum.

Syrupus de rosis ficcis.

Syrupus sacchari.

Syrupus scilliticus.

Tartarus emeticus.

Tartarus vitriolatus.

Testæ ovorum præparatæ.

Pelliculâ interiore, post coctionem, detractâ, terantur et lævigentur in pulverem subtilem.

Theriaca.

R Rad. serpentar. Virg. unc. viii.
valerian. silv. unc. vi.

Fol. scord. unc. iv.

Caryophyll. aromat.

Myrrhæ, aa unc. iii.

Galban. unc. ii.

Croci unc. i.

Opii unc. fs.

Mellis triplum ad pondus pulverum.

M. f. a.

Tinctura

Tinctura antimonii.

Tinctura antiphthifica.

Tinctura cantharidum.

℞ Cantharid. unc. fs.

Spir. vini rectific. lib. iii.

*Digere per biduum, et tincturam filtratam
digere rursus in B. A. cum*

Bals. copaiba unc. iii.

*Donec solvatur balsamum, dein adde
Camphoræ unc. fs.*

Tinctura castorei.

Tinctura cort. Peruviani.

Tinctura croci.

Tinctura fuliginis.

Tinctura hellebori nig.

Tinctura jalappæ.

Tinctura ipecacuanhæ.

Omittatur cochinilla.

Tinctura Martis.

Tinctura menthæ.

Tinctura myrrhæ.

Tinctura

Tinctura myrrhæ & aloës.

Tinctura rhei amara.

Cum. spir. vini, omiffâ cochinillâ.

* Tinctura rosarum.

Tinctura sacra.

R Aloës Succotrin. unc. ii.

Aquæ aromat. lib. iii.

Macera per biduum, et cola.

Trochisci albi.

R Ceruss. drach. x.

Gum. Arab.

Amyli, aa drach. iii.

Camphor. drach. fs.

Aq. rosar. q. f. M. f. a.

Trochisci de minio.

Turpethum minerale.

Vitrum antimonii.

Vitrum antimonii ceratum.

Unguentum Ægyptiacum.

Unguentum album.

Unguentum basilicon.

Unguentum

Unguentum è lapide calaminari.

Unguentum emolliens,

R Ol. palmæ lib. iv.

Ceræ flav. lib. fs.

Ol. lini lib. ii.

Liqueſcant ſimul.

Unguentum epifpaſticum.

Unguentum mercuriale.

R Argent. viv. unc. ii.

Axung. porc. præp. unc. iii.

Sevi unc. i.

Optimè ſubigantur.

Unguentum nervinum.

R Ol. laurin. lib. iii.

Sevi lib. ii.

Ol. ſtill. ſuccini. unc. ii. M. f. a.

* Unguentum nutritum.

* Unguentum piceum.

R Picis liquid.

Sevi, aa p. æ.

Liqueſcant ſimul, agitando diligenter.

Unguentum ſambucinum.

Unguentum

Unguentum Saturninum.

* Unguentum sulphureum.

R Axung. porc. præp. unc. ii.
Sulphur. trit. unc. fs. M.

* Unguentum tutiæ.

R Tutiæ præp. unc. fs.
Butyri recent. infuls. unc. ii.
Ceræ alb. drach. i. M. f. a.

* Unguentum tutiæ camphoratum.

Adde priori unguento

Camphoræ drach. i.

Fit quoque cum camphora duplice, &c.

INDEX

I N D E X

MORBORUM et MEDICAMENTORUM

quoad vires.

Alexeteria, Alexipharmaca. vid. *Diaphoretica.*

Abscessus. vid. *Traumatica.*

Alvi fluxus. vid. *Diarrhæa.*

Alvus adstricta. vid. *Cathartica, Laxantia.*

Amaurosis. vid. *Ophthalmica.*

Ambusta. Balf. traumaticum. Ol. camphoratum. Spir. vini camphorat. Ung. album. Ung. emolliens. Ung. è lap. calaminari. Ung. nutritum. Ung. sambucinum. Ung. Saturninum.

Angina.

G

50 INDEX MORBORUM

Angina. Decoct. tamarind. c. Senna. Julap. diaphoreticum. Emetica. *Externa.* Empl. epispasticum. Gargarismata varia. Cataplasma camphoratum. Spir. Mindereri.

Animi deliquium, Syncope. vid. *Cardiaca.*

Anodyna, Paregorica. Opium præp. Bolus è castoreo. Laudanum liqu. Pil. pacificæ. Theriaca. Syr. papaveris albi. *Externa.* Balf. terebinthinæ. Fetus anodynus. Ol. camphoratum. Liniment. anodynum. Ung. nervinum. Empl. anodynum. Empl. calidum. Empl. epispasticum.

Anthelmintica. Fol. fabinæ. Flor. tana-ceti. Sem. fantonicum. Pulv. stanni. Vitriol. alb. et viride. Æthiops min. Bolus rhei c. Mercurio. Chalybs saccharatus. Mercurius saccharatus. Pil. Mercuriales laxant. Pulv. vermifugus uterque.

Antibectica. vid. *Phtisis.*

Antimonialia. Antimon. præp. Antimon. diaphoreticum. Sulph. aur. antimonii. Tinct. antimonii.

antimonii. Pil. Æthiopicæ. Tartarus emeticus. Vitrum antimonii. Idem ceratum.

Aphthæ. Gargarisma emolliens. Lohoch Balsamic. Lohoch commune. Empl. epispasticum.

Apoplexia. vid. *Cephalica.*

Artbritica. vid. *Rheumatismus.*

Asthma. Rad. allii. Rad. scillæ. Rad. helenii. Fol. marrubii. Crocus. Gum. ammoniacum. Assa foetida. Sapo albus. Bolus pectoralis. Expressio milleped. Flos sulphuris. Balf. sulphuris terebinthinatum. Julap. ammoniacum. Julap. foetidum. Julap. scilliticum. Lohoch pectorale. Oxymel pectorale. Ol. cornu cervi. Pil. ex allio. Pil. pectorales. Pil. scilliticæ. Emetica. Empl. epispasticum. vid. *Pectoralia.*

Astringentia, Styptica. Rad. consolidæ maj. Rad. tormentillæ. Fol. plantaginis. Rosæ rubræ. Cort. granatorum. Cort. quercus. Terra Japonica. Olibanum. Sang. draconis. Alumen. rup. Bolus Armena. Creta alba. Vitriola. Colcothar vitrioli. Confectio roborans.
Decoct.

52 INDEX MORBORUM

Decoët. album. Decoët. astringens. Decoët. Campechense. Electuar. Peruv. roborans. Elect. Peruv. stypticum. Elect. sistens. Elect. antidysentericum. Extract. lig. Campechensis. Julap. sistens. Lac ferratum. Pulv. stypticus. Pulv. testaceus comp. Idem ceratus. Saccharum Saturni. Spir. vini rectific. Spir. vitrioli dulcis. Syrupus de rosis siccis. Tinct. rosarum. Tinct. Martis. Tinct. antiphthistica. Aqua styptica. Gargarisma astringens. Enema anodynum. Enema astringens. Fetus roborans. Opiata.

Cachexia, Chlorosis. Sal polychrestum. Infusum amarum utrumque. Bolus rhei c. Mercurio. Pil. aloëticæ. Pil. chalybeatæ utræque. Pil. stomachicæ. Tinct. sacra. Tinct. rhei amaræ. Elix. stomachicum. Elix. vitrioli. Elix. proprietatis utrumque. Chalybs saccharatus. Tinct. Martis. Antimonium præp. Cinnabaris antimonii. Cervisia aperiens. Cervisia ad scorbuticos. Aqua picea. Æthiops mineral. Pil. Mercuriales utræque. Pil. Æthiopicæ. Decoët. lignorum. Emetica.

Calculus. vid. *Nephritica.*

Cardiaca.

Cardiaca. Aq. aromatica. Julap. cardiacum. Julap. moschatum. Spir. cornu cervi. Spir. volatilis oleosus. Spir. lavendulæ comp. Spir. fuccini. Tinct. croci. Tinct. castorei. Bolus è castoreo.

Cardialgia. Emetica. Tinct. rhei amara. Tinct. sacra. Magnesia alba. Pulv. testaceus comp. Chalybs saccharatus. vid. *Stomachica.*

Carminativa. Rad. zingiberi. Sem. coriandri. Pulv. diaromatôn. Aqua aromatica. Spir. lavendulæ comp. Spir. volatilis oleosus. Tinct. fuliginis.

Catarrhus. Flos sulphuris. Balf. sulphuris. Conserva rosar. Decoct. antihecticum. Elect. balsamicum. Emulsio Arabica. Infusum pectorale. Opiata. Infusum amarum c. fenna. Empl. epispasticum. vid. *Pectoralia.*

Cathartica, Laxantia. Rad. hellebori nigri. Rad. jalappæ. Rad. polypodii. Rhabarbarum. Fol. fennæ. Cassia fistula. Colocynthis. Tamarindi. Alôë. Manna. Scammonium. Sal Glauberi. Sal polychrestum. Extract. hellebori nig. Syr. de rhamno cathartico.

54 INDEX MORBORUM

tico. Syr. rofar. pallidarum. Bolus jalappæ c. Mercurio. Bol. rhei c. Mercurio. Decoct. tamarindorum. Elect. lenitivum. Elect. hæmorrhoidale. Elixir proprietatis. Elixir salutis. Tinct. jalappæ. Tinct. rhei amara. Tinct. sacra. Magnesia alba. Infusum amarum c. senna. Julap. hydragogum. Pulv. Cornachini. Pulv. vermifugus purgans. Pil. aloëtica. Pil. coccia. Pil. ephrastica utraque. Pil. stomachica. Pil. Mercuriales laxantes. Enema domesticum. Enema purgans. Enema anticolicum. Suppositoria.

Cephalica. Rad. pæonia. Rad. pyrethri. Rad. valerianæ silv. Fol. asari. Fol. betonica. Fol. majoranæ. Fol. et flor. rorismarini. Fol. salviæ. Flor. lavendulæ. Viscus quernus. Cardamomum minus. Caryophylli aromatici. Cubebæ. Nux moschata. Asa foetida. Castoreum. Ol. cornu cervi. Ol. rorismarini. Ol. succini. Aqua rutæ. Aqua antihysterica. Infusum cephalicum. Cervisia cephalica. Spir. cornu cervi. Spir. lavendulæ comp. Spir. volatililis oleosus. Spir. succini. Tinct. castorei. Tinct. fuliginis. Cinnabaris antimonii. Bolus è castoreo. Julap. foetidum. Elect. cephalicum. Pil. gummosæ. Pulv. cephalicus. Empl. epispasticum.

epispasticum. Ung. epispastic. Sinapismus uterque. Emetica. Cathartica.

Chalybeata. Limatura et rubigo ferri. Chalybs saccharatus. Colcothar. vitrioli. Elect. Peruvian. roborans. Lac. ferratum. Pil. chalybeatæ utræque. Pil. roborant. Tinct. Martis.

Chlorosis. vid. *Cachexia.*

Chorea, Sancti Viti. vid. *Cephalica.*

Colica, Iliaca. Bolus rhei c. Mercurio. Elixir salutis. Tinct. sacra. Tinct. rhei amara. Pil. aloëticæ. Pil. stomachicæ. Aq. aromatica. Aqua menthæ utriusque. Tinct. menthæ. Haustus salinus. Julap. salinum. E-nema anticolicum. En. emolliens. Fetus aromaticus. Cataplasma stomachicum. Opiata.

Convulsio. vid. *Cephalica.*

Cutanei affectus. vid. *Scabies.*

Diabetes. Aqua calcis et benedicta comp. Decoct. antihectic. Emulsio Arabica. Lac ferratum. Elix. vitrioli. Spir. vitrioli dulcis. Tinct.

56 INDEX MORBORUM

Tinct. rosarum. Tinct. antiphthifica. Pulv. stypticus. Elect. Peruv. stypticum. Emetica et Cathartica lenia.

Diaphoretica, Sudorifica, Alexipharmaca.

Rad. contrayervæ. Rad. imperatoria. Rad. serpentariæ Virg. Rad. zedoariæ. Fol. cardui ben. Fol. scordii. Fol. rutæ. Flor. sambuci. Sem. angelicæ. Crocus. Lig. guajaci cum cort. Extract. guajaci. Lig. sassaphras cum cort. Camphora. Emulsio camphorata. Gum. guajaci. Opium et opiata. Acetum theriacale. Serum acetosum et epidemium. Aqua alexeteria. Aqua epidemia. Decoct. serpentariæ comp. Decoct. lignorum. Bolus è castoreo. Bolus diaphoreticus. Bolus guajacinus. Bolus alexeterius. Antimonium diaphoreticum. Sulphur. aur. antimonii. Haustus diaphoreticus. Julap. diaphoreticum utrumque. Pulv. contrayervæ comp. Sal ammoniacum et cornu cervi volatilia. Spir. cornu cervi. Spir. Mindereri. Theriaca.

Diarrhæa, Dysenteria, Tenesmus.

Rad. Ipecacuanhæ. Tinct. Ipecacuanhæ. Rhabbarum. Bolus rhei c. Mercurio. Tinct. rhei

rhei amara. Decoct. Campechense. Extract. lig. Campechensis. Decoct. album. Decoct. astringens. Confectio roborans. Electuarium sistens. Elect. antidysentericum. Pil. roborant. Julap. sistens. Lac ferratum. Aqua calcis. Lohoch. balsamicum. Pulv. testaceus ceratus. Vitrum antimonii ceratum. Opiata. Enema emolliens. En. anodynum. En. de amylo. En. astringens. En. astringens balsamicum. Fetus aromaticus. vid. *Astringentia*.

Discutientia. Acetum lithargyrit. Sal. ammoniacum. Spir. Mindereri. Spir. vini camphorat. Cataplasma discutiens. Ung. sambucinum. Empl. gummosum. Empl. Mercuriale. Empl. saponaceum. Oleum camphoratum.

Diuretica. Rad. allii. Rad. bardanæ maj. Rad. eryngii. Rad. fœniculi. Rad. petroselinii. Rad. senekæ. Rad. scillæ. Fol. parietariæ. Flor. chamæmeli. Sem. dauci filv. Sem. fœniculi. d. Sem. finapi. Terebinthina Ven. Balf. copaiba. Cantharides. Millepedæ. Nitrum. Aqu. fœniculi. Aqu. raphani comp. Acetum scilliticum. Ol. terebinthinæ. Ol.
H juniperi.

juniperi. Decoctum bardanæ. Decoct. senekæ.
 Decoct. diureticum. Decoct. nitrosum. Cer-
 visia diuretica. Bolus diureticus. Electuar. ad
 nephriticos. Emulsio communis et Arabica.
 Expressio millepedarum. Haustus salinus. Ju-
 lap. salinum. Julap. diureticum. Julap. scilli-
 ticum. Potio balsamica. Sal tartari. Sal Po-
 lychrest. Spir. nitri d. Spir. falis d. Spir. suc-
 cini. Tinct. cantharidum. Pil. scilliticæ. E-
 nema terebinthinatum.

Dysenteria. vid. *Diarrhæa.*

Dysuria. vid. *Nephritica.*

Emetica. Rad. ipecacuanhæ. Tinct. ipeca-
 cuanhæ. Vitriolum alb. Syr. scilliticus. Tar-
 tarus emeticus. Turpethum minerale.

Emmenagoga. vid. *Menses Morventia.*

Epilepsia. vid. *Cephalica.*

Erysipelas. Sal. Glauberi. Decoct. Tama-
 rindor. Bolus alexeterius. Empl. epispasti-
 cum. Cataplasma emolliens. Cataplasma cam-
 phoratum. Fetus anodynus. Fetus aroma-
 ticus. Spir. vini camphoratus. Ung. nutri-
 tum.

tum. Ung. sambucinum. Ung. tutiæ camphoratum.

Expectorantia vid. *Pectoralia*.

Febris Continua. Emulsio communis. Decoct hordei. Decoct. nitrosum. Decoct. tamarindorum. Decoct. serpentariæ comp. Haustus salinus. Julap. salinum. Julap. diaphoreticum utrumque. Julap. cardiacum. Julap. scilliticum. Pulv. contrayervæ comp. Bolus alexeterius. Bolus e castoreo. Bolus diaphoreticus. Emulsio camphorata. Julap. moschatum. Serum acetosum & epidemium. Emetica. Enema domesticum. Enema emolliens. En. purg. Empl. epispasticum. Sinapismus uterque.

Febris Intermittens. Emetica. Tinctura sacra. Tinct. rhei amara. Sal ammoniacum. Haust. salinus. Bolus diaphoreticus. Julap. diaphoreticum. Electuar. Peruvianum febri-fugum. Tinct. cort. Peruviani. Infusum amarum utrumque. Ol. succini.

Fluor Albus. Emetica ex ipecacuanha. Bolus rhei cum Mercurio. Pil. Mercuriales lax. Chalybeata.

60 INDEX MORBORUM

Chalybeata. Pulv. stypticus. Spir. vitrioli dulc. Aqua calcis & benedict. co. Decoct. lignorum. Elect. Peruvianum stypticum. Pil. roborant. Potio balsamica. Tinct. cantharidum. Tinct. antiphthifica. Balsamum anodynum *extrinsecus*. Fetus roborans *injectus*.

Gangræna. Bolus alexeterius. Cortex Peruvianus. *Externa.* Ol. terebinthinæ. Cataplasma camphoratum. Ung. *Ægyptiacum*. Tinct. myrrhæ & aloës.

Gonorrhœa virulenta. Decoct. tamarindorum c. fenna. Pil. Mercuriales laxantes. Potio balsamica. Tinct. cantharidum. Fetus emolliens. Injectio balsamica. Injectio Mercurialis.

Gutta serena. vid. *Ophthalmica*.

Hæmoptoe. Decoct. tamarindorum. Decoct. antihecticum. Decoct. vulnerarium. Emulsio Arabica. Elect. balsamicum. Elect. Peruvianum febrifugum. Aqua calcis. Spir. vitrioli dulc. Tinct. rosar. Tinct. antiphthifica. Infusum pectorale. Pulv. stypticus.

Hæmor-

Hæmorrhagia. Decoct. tamarindor. Decoct. nitrosum. Enema purgans. Aqua styptica. Colcothar vitrioli. Spir. vitrioli dulce. Tinct. rosar. Tinct. antiphthifica. Pulv. stypticus.

Hæmorrhoidalia. Flos sulphuris. Elect. hæmorrhoidale. Enema anodyn. Fetus anodynus. Ung. Emolliens.

Hypnotica. vid. *Anodyna.*

Hydrops. Bolus jalappæ c. Mercurio. Tinct. jalappæ. Julap. hydragogum. Pil. Mercuriales utræque. Bolus diureticus. Cervisia diuretica. Decoct. senekæ. Expressio millepedarum. Potio balsamica. Julap. diureticum. Julap. salinum. Julap. scilliticum. Tinct. cantharidum. Sal absinthii. Pil. ex allio. Pil. scilliticæ.

Hypochondriacus & Hystericus Morbi.
Aqua pulegii. Aq. rutæ. Aq. antihysterica. Ol. still. succini. Ol. still. cornu cervi. Spir. cornu cervi. Spir. volatilis oleosus. Spir. lavendulæ comp. Tinct. castorei. Tinct. fuliginis.

62 INDEX MORBORUM

ginis. Tinct. cort. Peruv. Julap. antihystericum. Julap. foetidum. Julap. moschatum. Cervisia cephalica. Infusum cephalicum. Bolus è castoreo. Elect. Peruvianum roborans. Elixir vitrioli. Elix. proprietatis utrumque. Enema foetidum. Pil. gummosæ. Pil. aloëticæ. Pil. stomachicæ. Pil. chalybeatæ utræque. Alia chalybeata. Bolus rhei cum Mercurio. Tinct. rhei amara. Tinct. sacra. Emetica. Empl. antihystericum.

Icterus. Emetica. Bolus rhei cum Mercurio. Tinct. rhei amara. Tinct. sacra. Sapo albus. Expressio millepedarum. Pil. scilliticæ.

Ischiadicus morbus. vid. *Rheumatismus.*

Laxantia. vid. *Cathartica.*

Lepra. vid. *Scabies.*

Lithontriptica. vid. *Nephritica.*

Lues venerea. vid. *Mercurialia.* vid. *Gonorrhœa.*

Lumbago.

Lumbago. vid. *Rheumatismus.*

Mania. Melancholia. Emetica. Extract. et tinct. hellebori nigri. Tinct. sacra. Decoct. tamarindorum. Julap. foetidum. Pil. gummosæ. Camphora. Opiata. Empl. epispasticum.

Menses morventia. Rad. aristolochiæ. Rad. curcumæ. Rad. hellebori nigri. Rad. scillæ. Rad. valerian. filv. Rad. zedoar. Fol. artemisiæ. Fol. rutæ. Fol. sabinæ. Fol. salviæ. Summit. centaurii min. Crocus. Sem. levistici. Sem. sinapi. Aloë Succotr. Galbanum. Myrrha. Castoreum. Aq. pulegii. Aq. rutæ. Aq. antihysterica. Extract. & tinct. hellebori nigri. Elixir proprietatis. Tinct. croci. Tinct. sacra. Cervisia aperiens. Infusum amarum utrumque. Julap. antihystericum. Julap. ammoniacum. Pil. scilliticæ. Pil. Mercuriales lax. Pil. chalybeatæ utræque, aliaque chalybeata.

Menses sistentia. Electuar. Peruvianum roborans. Elect. Peruv. stypticum Pulvis stypticus. Pulv. testaceus ceratus. Tinct. antiphthifica. Tinct. rosarum. Spir. vitrioli dulcis. Vitrum antimon. ceratum.

Mercurialia.

64 INDEX MORBORUM

Mercurialia. *Æthiops min.* Cinnabaris antimonii *pro suffitu.* Mercurius sublimatus dulc. Mercurius præcipitatus, albus & ruber. Mercurius saccharatus. Turpethum minerale. Pil. Mercuriales utraque. Pil. *Æthiopicæ.* Bolus Mercurialis. Bolus jalappæ cum Mercurio. Bolus rhei cum Mercurio. Pulv. vermifugus purgans. Injunctio Mercurialis. Linimentum Mercuriale. Unguentum Mercuriale. Empl. Mercuriale.

Mictus cruentus. vid. *Hæmorrhagia.*

Nephritica. Sapo albus. Aqua calcis. Bolus diureticus. Decoct. diureticum. Decoct. nitrosum. Infusum lini. Emulsio communis & Arabica. Ol. still. juniperi. Lohoch commune. Haustus salinus. Potio balsamica. Julap. diureticum. Julap. scilliticum. Pil. scilliticæ. Spir. nitri dulc. Spir. salis dulcis. Spir. succini. Tinct. cantharidum. Opiata. Enema emolliens. En. terebinthinatum. Fetus emolliens. Elect. lenitivum. Elect. ad nephriticos. Elixir salutis.

Ophthalmica. Cathartica. Pil. Mercuriales utraque. Expressio millepedarum. *Externa.*
Aqua

Aqua ophthalmica. Aqua sapphirina. Collyrium album. Collyrium aluminosum. Spir. Mindereri. Pulv. cephalicus. Turpethum minerale. Ung. tutiæ utrumque. Empl. & Ung. epispastica.

Opiata. vid. *Anodyna.*

Paralysis. Rad. allii. Rad. ari. Rad. pyrethri. Rad. serpentar. Virg. Rad. valerianæ silv. Fol. betonicæ. Fol. & Flor. rorismarini. Fol. rutæ. Fol. salviæ. Flor. lavendulæ. Cardamomum min. Caryophylli arom. Cubebæ. Sem. levistici. Sem. sinapi. Lig. guajaci & sassaphras. Canella alba. Asa foetida. Camphora. Gum. guajaci. Castoreum. Cinnabaris antimonii. Sulphur aur. antimonii. Aq. antihysterica. Aq. raphani comp. Succ. antiscorbutici. Decoct. lignorum. Cervisia cephalica. Bolus e castoreo. Bol. guajacin. Julap. antihystericum. Julap. diaphoreticum. Julap. diureticum. Julap. foetidum. Infusum cephalicum. Ol. still. cornu cervi. Ol. still. succini. Spir. cornu cervi. Spir. lavendulæ comp. Spir. succini. Tinct. castorei. Tinct. fuliginis. Emetica. Bolus jalapæ c. Mercurio aliaque cathartica. Enema foetidum. *Externa.* Pulv. cephalicus.

66 INDEX MORBORUM

Bals. terebinthinæ. Bals. saponaceum. Linimentum anodynum. Ung. nervinum. Empl. calidum. Empl. epispasticum.

Pectoralia. Rad. allii. Rad. althææ. Rad. glycyrrhizæ. Rad. helenii. Rad. irid. Flor. Rad. scillæ. Fol. hederæ terr. Fol. marubii. Herba trichomanes. Fol. & Flor. tus-silaginis. Crocus. Sem. lini. Gum. ammoniacum. Gum. Arabicum. Bals. Peruvianum. Benzoinum. Olibanum. Pix liquida. Sapo albus. Mel. Millepedæ. Succus glycyrrhizæ. Ol. lini. Sperma ceti. Flos sulphuris. Bals. sulphuris terebinthinatum. Acetum scillit. Aq. hyssopi. Aqua picea. Bals. Locatelli. Bol. pectoralis. Conserva rosarum. Decoct. antihecticum. Decoct. hordei. Electuar. balsamicum. Infus. pectorale. Expressio millepedarum. Infus. lini. Oxymel pectorale. Julap. ammoniacum. Julap. scilliticum. Lohoch commune. Lohoch pectorale. Lohoch balsamicum. Pil. ex allio. Pil. piceæ. Pil. pectorales. Pil. scilliticæ. Emetica.

Peripneumonia. Pleuritis. Bolus pectoralis. Decoct. hordei. Infusum lini. Lohoch

höch commune. Julap. ammoniacum. Julap. scilliticum. Julap. diaphoreticum. Empl. epispasticum.

Phthifis. Conserva rofarum. Decoct. antihæcticum. Decoct. vulnerarium. Infusum pectorale. Bolus pectoralis. Electuar. balsamicum. Julap. ammoniacum. Julap. scillitic. Lohoch balsamicum. Pil. pectorales. Pil. piceæ. Pil. scilliticæ. Aqua calcis, & benedict. comp. Aqua picea. Emetica. Elixir vitrioli. Empl. epispasticum. vid. *Pectoralia.* vid. *Diarrhæa.*

Purgantia. vid. *Cathartica.*

Rabies canina. Pulv. antilyssus. Moschus.

Rheumatismus, Lumbago, Ischias,

Arthritis. Decoctum bardanæ. Decoct.

senekæ. Decoct. lignorum. Decoct. tamarindorum. Succi antiscorbutici. Cervisia

ad scorbuticos. Julapium diaphoreticum.

Bolus guajacinus. Sapo albus. Pil. scilliticæ. Sem. sinapi. Ol. terebinthinæ. Æ-

thiops mineralis. Cinnabaris antimonii. Pil.

Mercuriales utræque. *Externa.* Cataplasma

emolliens. Bals. anodynum. Bals. tere-

binthinæ.

68 INDEX MORBORUM

binthinae. Balsamum saponaceum. Ol.
camphoratum. Linimentum anodynum.
Empl. anodynum. Empl. saponaceum.
Empl. calidum. Empl. epispasticum.

Scabies, Lepra. Antimonium præp. Sul-
phur. aur. antimonii. Tinct. antimonii.
Æthiops mineralis. Pil. Æthiopicæ. Pil.
Mercuriales utræque. Cervisia ad scorbuti-
cos. Decoctum lignorum. Succi antiscor-
butici. Aqua picea. Pil. piceæ. Flos sul-
phuris. Tinct. cantharidum. *Externa.* Ung.
Mercuriale. Ung. sulphureum. Ung. piceum.
Linimentum Mercuriale. Empl. epispasticum.

Scorbutus. Aqua raphani comp. Cervi-
sia ad scorbuticos. Infusum antiscorbuticum.
Succi antiscorbutici. Elixir stomachicum.
Elixir vitrioli. Elixir proprietatis cum aci-
do. Pil. chalybeatæ utræque, aliaque chaly-
beata. Pil. piceæ. Aqua picea. Infusum
amarum utrumque. Sal. polychrestum. De-
coct. tamarindorum. Tinct. rhei amara.
Tinct. sacra. Pil. stomachicæ.

Singultus. Spir. lavendulæ comp. Julap.
cardiacum. Julap. moschatum. Cort. Pe-
ruvianus.

ruvianus. Opiata. Tinct. sacra. *Externa.*
Bals. anodynum. Cataplasma stomachicum.
Cataplasma camphoratum.

Stomachica. Rad. calami aromat. Rad.
curcumæ. Rad. gentianæ. Rad. zedoariæ.
Zingiberi. Rhabarbarum. Fol. absinth.
Fol. cardui ben. Fol. menthæ. Summit.
centaurei min. Flor. chamæmeli. Auran-
tia Curasslavenfia. Nux mosch. & macis. Ca-
nella alba. Cinnamomum. Cort. Peruvia-
nus. Aloë. Myrrha. Aqua menthæ utri-
usque. Elixir stomachicum. Elix. vitrioli.
Elix. proprietatis utrumque. Extract. gen-
tianæ. Infusum amarum utrumque. Tinct.
menthæ. Tinct. cort. Peruviani. Bolus
rhei c. mercurio. Pil. aloëticæ. Pil. sto-
machicæ. Pil. chalybeatæ utræque. Tinct.
rhei amara. Tinct. sacra. Tinct. ipecacu-
anhæ, aliaque emetica. *Externa.* Cataplas-
ma stomachicum. Empl. stomachicum. Fo-
tus aromaticus.

Styptica. vid. *Astringentia.*

Sudorifica. vid. *Diaphoretica.*

Tinea. vid. *Scabies.*

Traumatica,

70 INDEX MORBORUM, &c.

Traumatica, Vulneraria. Decoct. vulnerarium. Cort. Peruvianus. Aqua calcis & benedict. comp. Potio balsamica. Balf. Locatelli. Pil. Mercuriales. *Externa.* Balf. traumaticum. Tinct. myrrhæ & aloës. Balf. viride. Linimentum. Arcæi. Ung. basilicon. Ung. Saturninum. Ung. e lap. calaminari.

Tussis. vid. *Pectoralia.*

Vermifuga. vid. *Anthelmintica.*

Vertigo. vid. *Cephalica.*

Ulcera. vid. *Traumatica.*

Vomitoria. vid. *Emetica.*

Vomitus. Aqua menthæ. Tinct. menthæ. Haustus salinus. Julap. salinum. Elix. proprietatis cum acido. Tinct. rhei amara. Tinct. sacra. Spir. vitrioli dulc. Elixir vitrioli. Emetica. Chalybeata. Opiata. *Externa.* Balf. anodynum. Cataplasma stomachicum. Empl. stomachicum. Fetus aromaticus.

T A B U L A

TABULA POSOLOGICA.

R Ad. jalapp. ad scrup. ii.

Rad. ipecacuanhæ, ad scrup. ii.

Rad. rhabarbari, ad scrup. ii.

Rad. valerian. silv. ad drach. fs. bis terve in die.

Sem. sinapi integr. ad cochl. i. bis in die.

Camphora, ad scrup. i.

Olibanum, ad scrup. i. bis in die.

Manna, ad unc. ii.

Sapo. albus, ad unc. i. in die.

Castoreum, ad drach. fs.

Moschus, ad gr. xv.

Stanni pulv. ad drach. ii. bis in die.

Æthiops mineral. ad drach. i. bis in die.

Aqua bened. comp. unc. iv. ter quaterve in die.

Antimon. præp. ad drach. fs. bis in die.

Bals. fulphuris, ad gutt. x.

Cervisiæ medicatæ variæ, ad lib. fs. bis in die.

Chalybs saccharat. cochl. parv. seu drach. i.

Cinnabaris antimon. ad drach. fs. bis in die.

Confectio

72 TABULA POSOLOGICA.

Confectio roborans. (pro diascordio) Unc. fs.
continet opii gr. i.

Decoct. album, ad lib. ii. in die.

Decoct. antihectic. unc. iv. bis terve in die.

Decoct. astringens, unc. iv. ter quaterve in
die.

Decoct. bardanæ, ad lib. i. in die.

Decoct. Campechense, ad unc. iv. ter qua-
terve in die.

Decoct. diuretic. unc. iv. ter quaterve in die.

Decoct. lignorum, ad lib. ii. in die.

Decoct. nitrosum, unc. iv. ter in die.

Decoct. senekæ, ad unc. ii. ter quaterve in
die.

Decoct. sepentar. co. cochl. ii. ter quaterve
in die.

Decoct. vulnerar. ad lib. i. in die.

Elect. antidysenteric. moles jugland. semel
aut bis die.

Elect. balsamic. moles juglandis bis in die.

Elect. cephalicum, moles jugland. ter qua-
terve in die.

Elect. hæmorrhoidale, ad unc. fs.

Elect. ad nephritic. ad drach. i. semel aut bis
die.

Elect. Peruvian. robor. moles jugland. bis
terve in die. Elect.

TABULA POSOLOGICA. 73

Elect. Peruvian. stypt. moles jugland. ter in die.

Elect. sistens, moles jugland. ter quaterve in die.

Elix. proprietat. utrumque, cochl. parv. semel aut bis in die.

Elix. salutis, ad cochl. iv.

Elix. stomachic. ad cochl. i.

Elix. vitrioli, ad gutt. xxx. bis in die.

Emuls. camphorat. cochl. i. tertiâ aut quartâ quaque horâ.

Expressio millepedar. ad unc. ii. bis in die.

Infus. amarum, ad unc. iii. bis in die.

Infus. antiscorbut. }
Infus. cephalic. } unc. iv. bis in die.

Infus. lini, }
Infus. pectorale, } ad lib. i. in die.

Julap. ammoniac. ad cochl. ii. bis in die.

Julap. antihysteri. }
Julap. cardiac. } ad cochl. ii. ter. in die.

Julap. diaphoret. utrumque, ad cochl. ii. quoque bihorio.

Julap. diuret. ad cochl. ii. ter in die.

Julap. foetidum, cochl. i. ter quaterve in die.

Julap. hydragog. cochl. ii. quoque bihorio.

Julap. moschat. cochl. i. ter quaterve in die.

Julap. salinum, cochl. i. quâque horâ.

K

Julap.

74 TABULA POSOLOGICA.

- Julap. scillit. ad cochl. ii. bis in die.
- Julap. fistens, cochl. ii. ter quaterve in die.
- Lac ferratum, ad unc. iv. bis in die.
- Laudanum liqu. gutt. xxv. continent opii gr. i.
- Lac ammoniacum, cochl. ii. bis in die.
- Magnesia alba, ad drach. ii.
- Mercurius saccharat. ad scrup. i.
- Ol. still. cornu cervi, ad gutt. x.
- Ol. still. juniperi, ad gutt. xx.
- Ol. still. terebinthinæ, ad gutt. xl. bis in die.
- Oxymel pectoral. ad cochl. ii. bis terve in die.
- Pil. Æthiopic. ad scrup. i.
- Pil. ex allio, ad drach. fs. bis in die.
- Pil. aloëticæ, ad drach. fs.
- Pil. chalybeatæ, ad scrup. i. bis in die.
- Pil. cocciaæ, ad scrup. ii.
- Pil. ecphract. chalybeat. ad drach. fs.
- Pil. ecphract. purg. ad scrup. ii.
- Pil. gummosæ, ad scrup. i. bis in die.
- Pil. Mercurial. lax. ad drach. fs. alternis diebus.
- Pil. pacificæ, gr. viii. continent opii gr. i.
- Pil. pectoral. ad scrup. i. bis in die.
- Pil. piceæ, ad drach. fs. bis in die.
- Pil. roborant. ad drach. fs. bis in die.
- Pil. scillitic. ad gr. xv. bis in die.
- Pil. stomachicæ, ad drach. fs.

Potio

Potio balsamica, ad cochl. ii. bis in die.

Pulv. antilyssus, ad drach. i. fs.

Pulv. contrayerv. comp. ad drach. fs.

Pulv. Cornachini, ad scrup. ii.

Pulv. diaromat. ad scrup. i.

Pulv. stypticus, ad scrup. i. bis terve in die.

Pulv. testaceus cerat. ad drach. i. bis in die.

Pulv. vermifug. ad drach. fs. bis in die.

Pulv. vermifug. purg. ad drach. fs.

Sal Jovis, ad gr. x.

Sal mirab. Glauberi, ad unc. i.

Sal polychrest. ad unc. fs.

Spir. lavendulæ comp. ad gutt. xxx. bis terve
in die.

Spir. nitri dulc. ad drach. i.

Spir. salis dulc. ad drach. i.

Spir. succini, ad drach. fs.

Spir. vitrioli dulc. ad drach. i.

Succi antiscorbut. ad unc. iv. bis in die.

Syr. papav. alb. ad unc. i.

Tartarus emet. ad gr. vii.

Theriaca, drach. ii. fs. continent opii gr. i.

Tinct. antimonii, ad gutt. xl. bis in die.

Tinct. antiphthifica, ad gutt. xxx. bis in die.

Tinct. cantharid. ad gutt. xxx. bis in die.

Tinct. castorci, ad gutt. xl. bis terve in die.

Tinct.

76 TABULA POSOLOGICA.

- Tinct. cort. peruv. ad cochl. ii. bis in die.
Tinct. croci, ad gutt. xl. bis terve in die.
Tinct. fuliginis, ad gutt. xxx. bis terve in die.
Tinct. hellebori nigr. ad cochl. i.
Tinct. ipecacuanhæ, ad unc. i. fs.
Tinct. Martis, ad gutt. xl. bis in die.
Tinct. menthæ, cochl. i. sæpe.
Tinct. myrrhæ, ad gutt. xl. bis in die.
Tinct. rhei amara, ad cochl. ii.
Tinct. rosar. ad unc. iv. bis terve in die.
Tinct. sacra, ad cochl. ii.
Turpeth. mineral. ad gr. vii.
Vitrum antim. cerat. ad gr. x.

F I N I S.